

Egremont Board of Health
Thursday, June 1, 2023, 10:30 am
Egremont Town Hall and Zoom

Members Present: Charles Ogden, Chairman, Dr. William Rose (via Zoom), Ellen Maggio

Recording: Juliette Haas, Director

- 1) Chairman Ogden called the meeting to order at 10:32 am. He introduced members and staff present either in person or on Zoom. He also noted that the meeting was being recorded and that the recording will be available on the town website immediately following the meeting. Motion made and seconded to adopt the meeting minutes from May 25, 2023, with additions. **Vote taken: 3-0. Minutes adopted as modified.**

- 2) **Straher/24 Lakeside Drive** Director Haas forwarded recent photos of the structure on the property to BOH members. Chairman Ogden will research past BOH minutes to determine the assurances Mr. Straher gave to the BOH in regard to removing the structure once his permits were given.

- 3) **Recent Field Work**
 - Perc/23 Whites Hill Road/Alliance
 - Food Inspection/Old Mill
 - Food Inspection/North Egremont Store
 - Food re-inspection/Sara's Place. Ned Saviski noted that two violation items (dishwasher temperature gauge and handwashing sink) were not resolved at the reinspection. The new food inspector will be informed.

- 4) **Haekel/302 Egremont Plain Road (Main House)** The Board reviewed septic system upgrade plans for the Main House submitted by Kelly, Granger, Parsons & Associates. The plans are designed for a 5-bedroom load and include 4 rows of Elgen modules. A motion was made and seconded to approve the Local Upgrade Approval (LUA) request for a 2 foot reduction to estimated seasonal high groundwater under maximum feasible compliance. **Vote taken: 3-0 Motion passed.**

- 5) **Haekel/302 Egremont Plain Road (Guest House)** The Board reviewed septic system upgrade plans for the Guest House submitted by Kelly, Granger, Parsons & Associates. The plans are designed for a 3-bedroom load and include 3 rows of Elgen modules. A motion was made and seconded to approve the LUA request for a 2 foot reduction to estimated seasonal high groundwater under maximum feasible compliance. **Vote taken: 3-0 Motion passed.**

- 6) Meeting adjourned at 10:56 am. The next meeting is scheduled for June 22, 2023.

Juliette Haas
Approved
6/23/2023